



1D & 2D

Android



Ndevor



Megapixel





Laser aimer



5.0"

screen









**GMS** 



Camera

Touchscreen USB-C 4500 Micro SD mAh













Band



**GPS** 

1.5m

drop



Acuscan



Warranty 2 Years



WIFI Dual



•

## **Features**

### Full touchscreen mobile computer.

The MT90 Orca III is an Android mobile computer that packs all of the latest hardware in a modern and user-friendly design. It is a light and durable device with a 5" capacitive touch screen. Equipped with a familiar user interface and the exterior of a consumer phone, the MT90 Orca III is easy to set up and use right out of the box.

#### Megapixel barcode scanning.

Developed for quick and efficient barcode scanning, the MT90 Orca III ensures maximum productivity. Its megapixel scan engine is built in at the top of the device and can be triggered with a virtual button on the screen or a physical button on the side of the device for easy point-and-shoot scanning.

## Reliable all day use with a replaceable battery.

The MT90 Orca III has a 3.8V 4500 mAh battery that allows you to use the device all day without problem. Additionally, the battery is

replaceable, allowing you to use a spare battery if needed.

## **Business-class durability.**

The MT90 Orca III is built to withstand dusty environments and inevitable bumps and drops. It has a rating of IP65 and has been drop tested up to 1.5m, or 1.8m with a rubber boot, ensuring longer and more reliable use.

## GMS.

The MT90 Orca III offers Google Mobile Services (GMS) with integrated Google applications such as Gmail, Google Maps and Google Play Store.

## Accessories that match your operations.

A wide range of accessories for the MT90 Orca III are included in the package, namely: single slot charging & communication (USB) cradle, rubber boot, hand strap and wrist lanyard. Pistol grip, UHF pistol grip, long-range pistol grip and holsters are optional.

# Suggested industries

Retail















Logistics

Hospitality

## MT90 Orca III Technical specifications

## Data Capture

1D All major 1D symbologies

2D All major 2D symbologies

Image Sensor 1280x800 CMOS

Aiming Laser diode

Illumination White LED (625±10nm)

Scan Modes Trigger Mode, Sense Mode

Scan Rate 60 frames per second

#### Performance

Operating System Android 11 - GMS

Processor 2.0GHz octa-core 64-bit

Memory RAM 4GB

Memory Flash 64GB

Memory Storage Expansion (max.) Micro SD card (max. 128GB)

#### **Physical**

Audio Microphone / speaker

Audio Jack 3.5mm earphone

Battery Type 3.8V, 4500mAh

Buttons Side Keys Volume+, Volume-, Left Scan Key, Right Scan Key, Power Button, Function Key, Keypad (4

Keys

Camera 8 megapixels, auto focus, with LED flashlight

Dimensions (mm)  $155(L) \times 78(W) \times 20(H)$ mm

Display 5" full colour (1280×720)

Expansion Slot Micro SD card (max. 128GB)

Expected Battery Life 10 hours

Expected Charge Time 5 hours (charge via AC adapter)

Interfaces USB-C

Keypad 10 keys (side keys included)

Notifications Vibrator, speaker and multi-color LED

Pogo Pin √

Power Supply Input DC5V, 2A

Power Supply Output AC100~240V, 50~60Hz

SIM Dual SIM: 1 SIM card, 1 Micro SIM Card

Touch Panel Capacitive touch screen

Weight 270g (including battery)

#### Wireless

WWAN RADIO 2G: GSM:850/900/1800/1900MHz; 3G: WCDMA: B1/B2/B5/B8; TD-SCDMA: B34/B39; CDMA

1x/EVDO:BC0; 4G: FDD-LTE: B1/B2/B3/B5/B7/B8/B20/B28; TDD-LTE: B34/B38/B39/B40/B41

**Newland EMEA HQ** 

+31 (0) 345 87 00 33

info@newland-id.com

newland-id.com

Feel free to contact us or a partner near you

visit newland-id.com/partners

Specifications are subject to change without notice

© Newland EMEA 2023, all rights reserved



## MT90 Orca III Technical specifications

WLAN RADIO	802.11 a/b/g/n/ac, compatible with 11 d/h/i/k/r/v/w, support 2.4GHz and 5GHz
WPAN RADIO	Bluetooth 5.0 (backward compatible)
RFID	13.56MHz RFID ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693
GPS	GPS (AGPS), GLONASS

#### **Environmental**

Operating Temperature	-20°C to 55°C (-4°F to 131°F)
Storage Temperature	-40°C to 70°C (-40°F to 158°F)
Humidity	5% to 95% (non-condensing)
Electro Static Discharge (ESD)	±15 kV (air discharge), ±8 kV (direct discharge)
Drop	1.5m, 1.8m with rubber boot
IP Rating	IP65

#### Accessories

Standard	Battery, AC adapter, USB cable, Rubber Boot
Optional	Charging Cradle, Pistol Grip, Long Range Pistol Grip, UHF Pistol Grip, Wrist Strap, Hand Strap, 3 Slot
	Cradle, 4 Slot Battery Charger, High Capacity Battery

#### Software

MDM (certified)	Ndevor, SOTI, Airwatch
Terminal Emulation (compatible)	StayLinked, Ivanti Velocity
Configuration Tools	Ndevor

#### Certifications

Hardware	CE RED, FCCID, RoHS, IEC6247, Laser safety (Class II)	
Warranty		

Standard	2 years

© Newland EMEA 2023, all rights reserved

