











Laser



Android

IP65

Megapixel

GMS

aimer













4.0" screen

Touchscreen

Micro **USB**

3800 mAh

Micro SD

Camera











1.2M drop

4G

WIFI Dual Band















Ndevor Acuscan

Warranty 2 Years

GPS



Features

Megapixel barcode scanner.

Armed with Newland's 2D megapixel barcode reader, the MT65 Beluga V has an excellent scanning performance. The higher resolution means even small barcodes can be read from a longer distance. Pinpoint precision scanning codes, even when close together, is made easier Acuscan.

Android 11 operating system.

The Android OS of the MT65 Beluga V ensures near endless application possibilities. It gives you the data security and admin tools you need for control and complete peace-of-mind.

Versatile touch screen with keyboard.

The MT65 Beluga V Mobile Computer combines a good size touch screen with a physical keyboard. It equips you with a mobile computer suitable for many different applications, including usage with gloves or the quick and easy typing in of quantities.

Extended battery life.

The MT65 Beluga V provides up to 10 hours of battery life, so it is sure to last a full shift for average applications. Is your application more intensive? A replaceable battery and charging cradle with extra battery slot ensure employees can easily switch it out and continue scanning.

Angled scan engine for comfort.

The megapixel scan engine on the MT65 Beluga V is set at an angle. This means that the screen and keypad remain visible to the operator, even when scanning codes above shoulder height.

GMS-certified.

The MT65 Beluga V comes with an Android 11 GMS-certified operating system. Google Mobile Services (GMS) offers integrated Google applications such as Gmail, Google Maps, and Google Play Store.

Accessories that match your operations.

You can choose between various additional accessories for the MT65 Beluga V, among which are: a single slot charging and communication (USB) cradle, pistol grip, multi-charger, and holster.

Suggested industries







Industrial









Manufacturing

W arehousing

MT65 Beluga V Technical specifications

Data Capture

1D All major 1D symbologies

2D All major 2D symbologies

1280 x 960 CMOS Image Sensor

Aiming Laser diode

Illumination White LED (625±10nm)

Scan Modes Trigger Mode, Sense Mode

Scan Rate 60 frames per second

Performance

Operating System Android 11 GMS

Processor 2.0GHz quad-core

3GB Memory RAM

Memory Flash 32GB

Memory Storage Expansion (max.) Micro SD card (max. 128GB)

Physical

Battery Type 3.7V, 3800mAh, removable

Camera 8 megapixels, auto focus, with LED flashlight

Dimensions (mm) 166(L)x73(W)x26(H) mm

Display 4"WVGA (800×480)

Expansion Slot Micro SD card (max. 128GB)

Expected Battery Life 10 hours

4.5-5 hours (charge via AC adapter) **Expected Charge Time**

Interfaces Micro USB 2.0, battery charging over USB supported

Keypad 30 keys (side keys included) with backlight

Notifications Vibration, speaker and multi-color LEDs

AC110 ~ 240V, 50~60Hz Power Supply Input

Power Supply Output DC5V, 2.0A

Touch Panel Capacitive touch screen

Weight 330g (including battery)

Wireless

WWAN RADIO TD-LTE (B38, B39, B40, B41) FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b)

WLAN RADIO IEEE 802.11 a/b/g/n, 2.4GHz and 5GHz

WPAN RADIO Bluetooth 5.0 LE, backward compatible

RFID 13.65MHz RFID ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693

GPS GPS (AGPS), GLONASS

Environmental

Operating Temperature -20°C to 50°C (-4°F to 122°F)

Storage Temperature -30°C to 70°C (-22°F to 158°F)

Newland EMEA HQ

Feel free to contact us or a partner near you

visit newland-id.com/partners

+31 (0) 345 87 00 33

info@newland-id.com

newland-id.com

Specifications are subject to change without notice © Newland EMEA 2023, all rights reserved



MT65 Beluga V Technical specifications

Humidity 5% to 95% (non-condensing) Electro Static Discharge (ESD) ±15 kV (air discharge), ±8 kV (direct discharge) Drop 1.2m IP65 IP Rating Accessories Standard Battery, AC adapter, USB cable, Hand Strap Optional Charging Cradle, Battery, AC adapter, USB Cable, Pistol Grip, 4-slot Charger Software MDM (certified) Ndevor, SOTI, Airwatch Terminal Emulation (compatible) StayLinked, Ivanti Velocity **Configuration Tools** Ndevor

Certifications

Hardware FCCID, RoHS, IEC62471, EN60950

Warranty

Standard 2 years

